Supported Maximum Configurations

Compatibility Guide

Contents

e-STUDIO408P/478P 3
e-STUDIO409P 4
e-STUDIO408S/448S 5
e-STUDIO409S/409AS 6
e-STUDIO478S 7
e-STUDIO388CP 8
e-STUDIO338CS/388CS 9
e-STUDIO528P 10
e-STUDIO389CS/479CS 14
e-STUDIO409CP 15
e-STUDIO339CS/409CS 16
e-STUDIO479P 17
e-STUDIO449S/479S 18
e-STUDIO509CS 19
Printer stand 20

Apr. 2023

TOGETHER INFORMATION


Supported maximum configurations
The following tables provide information about the maximum possible configurations for each printer, option, and furniture stand.

Each row represents a supported maximum configuration. If an option is removed from a particular row, then the information would still indicate an acceptable configuration.

Some options are not supported depending on the sales regions.

© 2018 - 2023 Toshiba Tec Corporation All rights reserved
Under the copyright laws, this manual cannot be reproduced in any form without prior written permission of Toshiba Tec Corporation.

e-STUDIO408P/478P



Printer options, maximum configurations, product name, and dimensions

	Option	Placement				Product name	Dimensions (height, width, and depth)
		Table or desktop	Floor	Adjustable printer stand	Swivel cabinet		
1	550-sheet tray*1, *2	3	3	3	3	KD-1061	126 x 389 x 374 mm (5 x 15.7 x 14.7 in.)
2	Adjustable printer stand	N/A	1	N/A	N/A	KK-3200	584 x 597 x 597 mm (23 x 23.5 x 23.5 in.)
3	Swivel cabinet	1	1	N/A	N/A	MH-3100	263 x 476 x 600 mm (10.4 x 18.7 x 23.6 in.)
4	250-sheet tray*1, *2	3	3	3	3	KD-1060	95 x 389 x 374 mm (3.7 x 15.7 x 14.7 in.)

*1 The optional trays can be installed in any order.
*2 Only one optional tray can be configured with e-STUDIO408P.

Printer model	Dimensions (height, width, and depth)
e-STUDIO408P	260 x 399 x 374 mm (10.2 x 15.7 x 14.7 in.)
e-STUDIO478P	303 x 399 x 374 mm (11.9 x 15.7 x 14.7 in.)

e-STUDIO409P




Printer options, maximum configurations, product name, and dimensions

	Option	Placement				Product name	Dimensions (height, width, and depth)
		Table or desktop	Floor	Adjustable printer stand	Swivel cabinet		
1	550-sheet tray	1	1	1	1	KD-1074	107 x 368 x 378 mm (4.2 x 14.5 x 14.9 in.)
2	Adjustable printer stand	N/A	1	N/A	N/A	KK-3200	584 x 597 x 597 mm (23 x 23.5 x 23.5 in.)
3	Swivel cabinet	1	1	N/A	N/A	MH-3100	263 x 476 x 600 mm (10.4 x 18.7 x 23.6 in.)

Printer model	Dimensions (height, width, and depth)
e-STUDIO409P	222 x 368 x 363 mm (8.7 x 14.5 x 14.3 in.)

e-STUDIO408S/448S



Printer options, maximum configurations, product name, and dimensions

	Option	Placement				Product name	Dimensions (height, width, and depth)
		Table or desktop	Floor	Adjustable printer stand	Swivel cabinet		
1	550-sheet tray*1, *2	3	3	3	3	KD-1061	126 x 389 x 374 mm (5 x 15.7 x 14.7 in.)
2	Adjustable printer stand	N/A	1	N/A	N/A	KK-3200	584 x 597 x 597 mm (23 x 23.5 x 23.5 in.)
3	Swivel cabinet	1	1	N/A	N/A	MH-3100	263 x 476 x 600 mm (10.4 x 18.7 x 23.6 in.)
4	250-sheet tray*1, *2	3	3	3	3	KD-1060	95 x 389 x 374 mm (3.7 x 15.7 x 14.7 in.)

*1 The optional trays can be installed in any order.
*2 Only one optional tray can be configured with e-STUDIO408S.

Printer model	Dimensions (height, width, and depth)
e-STUDIO408S	467 x 399 x 429.5 mm (18.4 x 15.7 x 16.9 in.)
e-STUDIO448S	477 x 489 x 429.5 mm (18.8 x 19.3 x 16.9 in.)

e-STUDIO409S/409AS




Printer options, maximum configurations, product name, and dimensions

	Option	Placement				Product name	Dimensions (height, width, and depth)
		Table or desktop	Floor	Adjustable printer stand	Swivel cabinet		
1	550-sheet tray	1	1	1	1	KD-1074	107 x 368 x 378 mm (4.2 x 14.5 x 14.9 in.)
2	Adjustable printer stand	N/A	1	N/A	N/A	KK-3200	584 x 597 x 597 mm (23 x 23.5 x 23.5 in.)
3	Swivel cabinet	1	1	N/A	N/A	MH-3100	263 x 476 x 600 mm (10.4 x 18.7 x 23.6 in.)

Printer model	Dimensions (height, width, and depth)
e-STUDIO409S, 409AS	339 x 411 x 366 mm (13.3 x 16.2 x 14.4 in.)

e-STUDIO478S



Printer options, maximum configurations, product name, and dimensions

	Option	Placement				Product name	Dimensions (height, width, and depth)
		Table or desktop	Floor	Adjustable printer stand	Swivel cabinet		
1	550-sheet tray*	3	3	3	3	KD-1061	126 x 389 x 374 mm (5 x 15.7 x 14.7 in.)
2	Adjustable printer stand	N/A	1	N/A	N/A	KK-3200	584 x 597 x 597 mm (23 x 23.5 x 23.5 in.)
3	Swivel cabinet	1	1	N/A	N/A	MH-3100	263 x 476 x 600 mm (10.4 x 18.7 x 23.6 in.)
4	250-sheet tray*	3	3	3	3	KD-1060	95 x 389 x 374 mm (3.7 x 15.7 x 14.7 in.)
5	Staple finisher	1	1	1	1	MJ-1044	195 x 409 x 371 mm (7.7 x 16.1 x 14.6 in.)

* The optional trays can be installed in any order.

Printer model	Dimensions (height, width, and depth)
e-STUDIO478S	545 x 489 x 476.5 mm (21.5 x 19.3 x 18.8 in.)

e-STUDIO388CP



Printer options, maximum configurations, product name, and dimensions

	Option	Placement				Product name	Dimensions (height, width, and depth)
		Table or desktop	Floor	Adjustable printer stand	Swivel cabinet		
1	650-sheet duo tray	1	1	1	1	KD-1064	133 x 424 x 416 mm (5.2 x 16.7 x 16.4 in.)
2	550-sheet tray*	1	1	1	1	KD-1063	133 x 424 x 416 mm (5.2 x 16.7 x 16.4 in.)
3	Adjustable printer stand	N/A	1	N/A	N/A	KK-3200	584 x 597 x 597 mm (23 x 23.5 x 23.5 in.)
4	Swivel cabinet	1	1	N/A	N/A	MH-3100	263 x 476 x 600 mm (10.4 x 18.7 x 23.6 in.)

* When installed with the 650-sheet duo tray, place this tray at the bottom of the configuration.

Printer model	Dimensions (height, width, and depth)
e-STUDIO388CP	308 x 442 x 421 mm (12.1 x 17.4 x 16.6 in.)

e-STUDIO338CS/388CS



Printer options, maximum configurations, product name, and dimensions


	Option	Placement				Product name	Dimensions (height, width, and depth)
		Table or desktop	Floor	Adjustable printer stand	Swivel cabinet		
1	650-sheet duo tray*1	1	1	1	1	KD-1064	133 x 424 x 416 mm (5.2 x 16.7 x 16.4 in.)
2	550-sheet tray*2	1	1	1	1	KD-1063	133 x 424 x 416 mm (5.2 x 16.7 x 16.4 in.)
3	Adjustable printer stand	N/A	1	N/A	N/A	KK-3200	584 x 597 x 597 mm (23 x 23.5 x 23.5 in.)
4	Swivel cabinet	1	1	N/A	N/A	MH-3100	263 x 476 x 600 mm (10.4 x 18.7 x 23.6 in.)

*1 When installed with the 550-sheet tray, place this tray below the printer.

*2 When installed with the 650-sheet duo tray, place this tray at the bottom of the configuration.

Printer model	Dimensions (height, width, and depth)
e-STUDIO338CS, 388CS	462 x 442 x 588 mm (18.2 x 17.4 x 23.1 in.)

e-STUDIO528P



Printer options, product name, and dimensions

	Option	Product name	Dimensions (height, width, and depth)
1	2100-sheet tray	KD-1069	350 x 428 x 510 mm (13.8 x 16.8 x 20.1 in.)
2	250-sheet tray	KD-1065	80 x 428 x 510 mm (3.2 x 16.8 x 20.1 in.)
	250-sheet lockable tray	KD-1067	
3	550-sheet tray	KD-1066	110 x 428 x 510 mm (4.3 x 16.8 x 20.1 in.)
	550-sheet lockable tray	KD-1068	
4	Spacer	KK-4100	110 x 428 x 510 mm (4.3 x 16.8 x 20.1 in.)
5	Caster base	KK-4200	126 x 521 x 693 mm (5 x 20.5 x 27.3 in.)
6	Adjustable printer stand	KK-3210	521 x 653 x 625 mm (20.5 x 25.7 x 24.6 in.)
7	Swivel cabinet	MH-3100	263 x 476 x 600 mm (10.4 x 18.7 x 23.6 in.)
8	4-bin mailbox	MJ-5017	272 x 421 x 384 mm (10.7 x 16.6 x 15.1 in.)
9	Output expander	MJ-5019	165 x 421 x 380 mm (6.5 x 16.6 x 15 in.)

10	High capacity output expander	MJ-5018	310 x 421 x 335 mm (12.2 x 16.6 x 13.2 in.)
11	Staple, hole punch finisher	MJ-1046	263 x 462 x 507 mm (10.3 x 18.2 x 20 in.)
12	Staple finisher	MJ-1045	246 x 435 x 414 mm (9.7 x 17.1 x 16.3 in.)

Printer input options, furniture, maximum configurations, and placement

Option	Placement				
	Table or desktop	Swivel cabinet	Floor *3	Caster base *4, *6	Adjustable printer stand *4
250-sheet tray*1, * 2, *3, *4	4	4	2	4	4
250-sheet lockable tray*1, * 2, *3, *4					
550-sheet tray *1, * 2, *3, *4			1	3	3
550-sheet lockable tray*1, * 2, *3, *4					
Spacer					
2100-sheet tray* 2, *6	N/A	N/A	N/A	1	N/A
Caster base * 4, *6	N/A	N/A	1	N/A	N/A
Adjustable printer stand *4, *7	N/A	N/A	1	N/A	N/A
Swivel cabinet	1	N/A	1	N/A	N/A

*1 Can be installed with other optional trays in any order except the 2100-sheet tray.

*2 Only one optional 250- or 550-sheet tray can be used when installing the 2100-sheet tray. Place the 2100-sheet tray at the bottom of the configuration.

*3 When placing the configuration on the floor, only one optional 250-sheet tray can be used with one optional 550- sheet tray or spacer.

*4 When placing the configuration on the caster base or adjustable printer stand, follow these maximum configuration instructions. If using three optional 550-sheet trays or spacers, no optional 250-sheet tray can be used. If using two *550-sheet trays or spacers, only one 250-sheet tray can be used. If using one 550-sheet tray or spacer, up to three 250-sheet trays can be used.

*5 When using a spacer, install it first, and then install any optional trays above it. Do not install the spacer with the 2100-sheet tray.

*6 The 2100-sheet tray requires the use of the caster base.

*7 For more information on supported configurations, see “Adjustable printer stand KK-3210” on page 20.

TOGETHER INFORMATION

Printer output options, maximum configurations, and placement

Option	Placement				
	Table or desktop	Swivel cabinet	Floor *3	Caster base	Adjustable printer stand
4-bin mailbox *1, *4	3	3	3	3	3
Output expander *1, * 2, *4					
High capacity output expander * 2, *3	1	1	1	1	1
Staple finisher *5	1	1	1	1	1
Staple, hole punch finisher *6	1	1	1	1	1

*1 The 4-bin mailboxes and output expanders can be installed in any order.

*2 A single output expander is the only option that can be placed on top of the high capacity output expander.

*3 No other output option may be installed below the high capacity output expander.

*4 When used with a staple finisher, place this option below it.

*5 The staple finisher is always on top of the configuration. An additional 4-bin mailbox or output expander may be installed below it.

*6 Do not use the staple, hole punch finisher with any other output options.

Printer model	Dimensions (height, width, and depth)
e-STUDIO528P	441 x 428 x 510 mm (17.4 x 16.85 x 20.1 in.)

Maximum floor configuration



Maximum table or desktop configuration



Maximum swivel cabinet configuration



Maximum adjustable printer stand configuration



TOGETHER INFORMATION

Maximum caster base configuration



Maximum 4-bin mailbox configuration



Maximum high capacity output expander configuration




Maximum staple, hole punch finisher configuration



Maximum staple finisher configuration



e-STUDIO389CS/479CS



Legend: – Standard – Optional


Printer options, maximum configurations, product name, and dimensions

	Option	Placement			Product name	Dimensions (height, width, and depth)
		Table or desktop	Floor	Adjustable printer stand		
1	550-sheet tray	3	3	3	KD-1070	119 x 463 x 483 mm (4.7 x 18.23 x 19 in.)
2	Adjustable printer stand*	N/A	1	N/A	KK-3210	521 x 653 x 625 mm (20.5 x 25.7 x 24.6 in.)

* For more information on supported configurations, see “Adjustable printer stand KK-3210” on page 20.

Printer model	Dimensions (height, width, and depth)
e-STUDIO389CS	648 x 505 x 533 mm (25.5 x 19.9 x 21 in.)
e-STUDIO479CS	767 x 505 x 533 mm (30.2 x 19.9 x 21 in.)

e-STUDIO409CP



Printer options, maximum configurations, product name, and dimensions

	Option	Placement				Product name	Dimensions (height, width, and depth)
		Table or desktop	Floor	Adjustable printer stand	Swivel cabinet		
1	650-sheet duo tray*1	1	1	1	1	KD-1081	132.1 x 424.2 x 416.6 mm (5.2 x 16.7 x 16.4 in.)
2	550-sheet tray*2 *3	3	3	3	3	KD-1078	132.1 x 424.2 x 416.6 mm (5.2 x 16.7 x 16.4 in.)
3	Adjustable printer stand*4	N/A	1	N/A	N/A	KK-3210	521 x 653 x 625 mm (20.5 x 25.7 x 24.6 in.)
4	Swivel cabinet	1	1	N/A	N/A	MH-3100	263 x 476 x 600 mm (10.4 x 18.7 x 23.6 in.)

*1 When installed with the 550-sheet tray, place this tray below the printer.

*2 When installed with the 650-sheet duo tray, place this tray at the bottom of the configuration.


*3 When installed with the 650-sheet duo tray, you can add a maximum of two of this tray.

*4 For more information on supported configurations, see “Adjustable printer stand KK-3210” on page 20.

Printer model	Dimensions (height, width, and depth)
e-STUDIO409CP	318.3 x 422.5 x 455 mm (12.5 x 16.6 x 17.9 in.)

TOGETHER INFORMATION

e-STUDIO339CS/409CS



Printer options, maximum configurations, product name, and dimensions

	Option	Placement				Product name	Dimensions (height, width, and depth)
		Table or desktop	Floor	Adjustable printer stand	Swivel cabinet		
1	Convenience stapler	1	1	1	1	MJ-1049EU MJ-1049UK MJ-1049IS MJ-1049ES MJ-1049AU	82 x 109 x 121 mm (3.23 x 4.29 x 4.77 in.)
2	650-sheet duo tray*1	1	1	1	1	KD-1081	132.1 x 424.2 x 416.6 mm (5.2 x 16.7 x 16.4 in.)
3	550-sheet tray*2 *3	3	3	3	3	KD-1078	132.1 x 424.2 x 416.6 mm (5.2 x 16.7 x 16.4 in.)
4	Adjustable printer stand*4	N/A	1	N/A	N/A	KK-3210	521 x 653 x 625 mm (20.5 x 25.7 x 24.6 in.)
5	Swivel cabinet	1	1	N/A	N/A	MH-3100	263 x 476 x 600 mm (10.4 x 18.7 x 23.6 in.)

*1 When installed with the 550-sheet tray, place this tray below the printer.

*2 When installed with the 650-sheet duo tray, place this tray at the bottom of the configuration.


*3 When installed with the 650-sheet duo tray, you can add a maximum of two of this tray.

*4 For more information on supported configurations, see “Adjustable printer stand KK-3210” on page 20.

Printer model	Dimensions (height, width, and depth)
e-STUDIO339CS, 409CS	491.4 x 475.1 x 479 mm (19.3 x 18.7 x 18.9 in.)

TOGETHER INFORMATION

e-STUDIO479P




Printer options, maximum configurations, product name, and dimensions

	Option	Placement				Product name	Dimensions (height, width, and depth)
		Table or desktop	Floor	Adjustable printer stand	Swivel cabinet		
1	250-sheet duo tray*	3	3	3	3	KD-1076	78 x 389 x 374 mm (3.1 x 15.3 x 14.7 in.)
2	550-sheet tray*	3	3	3	3	KD-1077	108 x 389 x 374 mm (4.3 x 15.3 x 14.7 in.)
3	Adjustable printer stand	N/A	1	N/A	N/A	KK-3200	584 x 597 x 597 mm (23 x 23.5 x 23.5 in.)
4	Swivel cabinet	1	1	N/A	N/A	MH-3100	263 x 476 x 600 mm (10.4 x 18.7 x 23.6 in.)

* Can be installed with other optional trays in any order.

Printer model	Dimensions (height, width, and depth)
e-STUDIO479P	307 x 399 x 389 mm (12.1 x 15.7 x 15.3 in.)

e-STUDIO449S/479S



Printer options, maximum configurations, product name, and dimensions

	Option	Placement				Product name	Dimensions (height, width, and depth)
		Table or desktop	Floor	Adjustable printer stand	Swivel cabinet		
1	Convenience stapler	1	1	1	1	MJ-1049EU MJ-1049UK MJ-1049IS MJ-1049ES MJ-1049AU	82 x 109 x 121 mm (3.23 x 4.29 x 4.77 in.)
2	250-sheet duo tray*	3	3	3	3	KD-1076	78 x 389 x 374 mm (3.1 x 15.3 x 14.7 in.)
3	550-sheet tray*	3	3	3	3	KD-1077	108 x 389 x 374 mm (4.3 x 15.3 x 14.7 in.)
4	Adjustable printer stand	N/A	1	N/A	N/A	KK-3200	584 x 597 x 597 mm (23 x 23.5 x 23.5 in.)
5	Swivel cabinet	1	1	N/A	N/A	MH-3100	263 x 476 x 600 mm (10.4 x 18.7 x 23.6 in.)

* Can be installed with other optional trays in any order.

Printer model	Dimensions (height, width, and depth)
e-STUDIO449S	514 x 479 x 450 mm (20.2 x 18.9 x 17.7 in.)
e-STUDIO479S	514 x 479 x 452 mm (20.2 x 18.9 x 17.8 in.)

e-STUDIO509CS



Printer options, maximum configurations, product name, and dimensions


	Option	Placement				Product name	Dimensions (height, width, and depth)
		Table or desktop	Floor	Adjustable printer stand	Swivel cabinet		
1	550-sheet tray	4	4	4	4	KD-1070	119 x 463 x 483 mm (4.7 x 18.23 x 19 in.)
2	Adjustable printer stand*	N/A	1	N/A	N/A	KK-3210	521 x 653 x 625 mm (20.5 x 25.7 x 24.6 in.)
3	Convenience stapler	1	1	1	1	MJ-1049EU MJ-1049UK MJ-1049US MJ-1049ES	82 x 109 x 121 mm (3.23 x 4.29 x 4.77 in.)

* For more information on supported configurations, see “Adjustable printer stand KK-3210” on page 20.

Printer model	Dimensions (height, width, and depth)
e-STUDIO509CS	621 x 479 x 533 mm (24.44 x 18.85 x 20.90 in.)

Printer stand

Adjustable printer stand KK-3210



Printer options, maximum configurations, product name, and dimensions

Shelf placement	e-STUDIO409CP/339CS/409CS	
Topmost	Base printer	
	Base printer + one optional 650-sheet duo tray + two optional 550-sheet trays	
Shelf placement	**e-STUDIO528P**	**e-STUDIO389CS/479CS/509CS**
Topmost	Base printer	Base printer
41	Base printer + one optional 250-sheet tray	N/A
37	Base printer + one optional 550-sheet tray	Base printer + one optional 550-sheet tray
33	Base printer + two optional 250-sheet trays	N/A
30	Base printer + one optional 550-sheet tray + one optional 250-sheet tray	N/A
27	Base printer + two optional 550-sheet trays	N/A
25	Base printer + three optional 250-sheet trays	Base printer + two optional 550-sheet trays
22	Base printer + two optional 250-sheet trays + one optional 550-sheet tray	N/A
19	Base printer + one optional 250-sheet tray + two optional 550-sheet trays	N/A
16	Base printer + four optional 250-sheet trays	N/A
	Base printer + three optional 550-sheet trays	
13	Base printer + three optional 250-sheet trays + one optional 550-sheet tray	Base printer +three or four optional 550-sheet trays