

The European Union (EU) chemical regulation, REACH (Registration, Evaluation, Authorization and Restriction of Chemicals), entered into force on 1st June 2007. The Candidate List, as defined in the Article 59 of REACH was first published on 28th October 2008 and is being amended regularly.

The present document is issued with reference to the Candidate List updated on 4th Feb 2026. Items marked with 3) are in accordance with the version of the candidate list published 25th Jun 2025. REACH requires Toshiba to provide customers with sufficient information if Substances of Very High Concern (SVHC) included in the Candidate List are contained in our products at a concentration above 0.1% weight by weight (w/w).

Product ¹⁾	Substances of Very High Concern (SVHC)	
	Substance name ²⁾	EC Number (CAS Number)
¹⁾ with accessories, such as AC cable, etc. Calculation is based on the weight % of individual part included in product.		
²⁾ The mentioned SVHC may be contained in some parts of the listed articles in a concentration above 0.1% weight by weight.		
Multifunction Printers ³⁾		
Black & White MFP / Printer e-STUDIO2528A e-STUDIO3028A e-STUDIO3528A e-STUDIO4528A e-STUDIO5528A e-STUDIO6528A	Boric acid	233-139-2 (10043-35-3)
	Melamine	203-615-4 (108-78-1)
	Triphenyl phosphate (TPP)	204-112-2 (115-86-6)
	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	204-327-1 (119-47-1)
	Lead titanium trioxide	235-038-9 (12060-00-3)
	Lead Titanium Zirconium Oxide	235-727-4 (12626-81-2)
	Diboron trioxide	215-125-8 (1303-86-2)
	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	400-600-6 (71868-10-5)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	4,4'-isopropylidenediphenol (bisphenol A; BPA)	201-245-8 (80-05-7)
	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-
Color MFP / Printer e-STUDIO5525AC e-STUDIO6525AC	Boric acid	233-139-2 (10043-35-3)
	Melamine	203-615-4 (108-78-1)
	Triphenyl phosphate (TPP)	204-112-2 (115-86-6)
	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	204-327-1 (119-47-1)
	4 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one	287-477-0 (119344-86-4)
	Lead titanium trioxide	235-038-9 (12060-00-3)
	Lead Titanium Zirconium Oxide	235-727-4 (12626-81-2)
	Diboron trioxide	215-125-8 (1303-86-2)
	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
	Hexahydromethylphthalic anhydride,	247-094-1 (25550-51-0)
	Hexahydro-4-methylphthalic anhydride,	243-072-0 (19438-60-9)
	Hexahydro-1-methylphthalic anhydride,	256-356-4 (48122-14-1)
	Hexahydro-3-methylphthalic anhydride	260-566-1 (57110-29-9)
	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	400-600-6 (71868-10-5)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
4,4'-isopropylidenediphenol (bisphenol A; BPA)	201-245-8 (80-05-7)	
Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-	

Product ¹⁾	Substances of Very High Concern (SVHC)	
	Substance name ²⁾	EC Number (CAS Number)
¹⁾ with accessories, such as AC cable, etc. Calculation is based on the weight % of individual part included in product.		
²⁾ The mentioned SVHC may be contained in some parts of the listed articles in a concentration above 0.1% weight by weight.		
Color MFP / Printer e-STUDIO2525AC e-STUDIO3025AC e-STUDIO3525AC e-STUDIO4525AC	Boric acid	233-139-2 (10043-35-3)
	Melamine	203-615-4 (108-78-1)
	Triphenyl phosphate (TPP)	204-112-2 (115-86-6)
	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	204-327-1 (119-47-1)
	4 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one	287-477-0 (119344-86-4)
	Lead titanium trioxide	235-038-9 (12060-00-3)
	Lead Titanium Zirconium Oxide	235-727-4 (12626-81-2)
	Diboron trioxide	215-125-8 (1303-86-2)
	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
	Hexahydromethylphthalic anhydride,	247-094-1 (25550-51-0)
	Hexahydro-4-methylphthalic anhydride,	243-072-0 (19438-60-9)
	Hexahydro-1-methylphthalic anhydride,	256-356-4 (48122-14-1)
	Hexahydro-3-methylphthalic anhydride	260-566-1 (57110-29-9)
	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	400-600-6 (71868-10-5)
Lead (RoHS exempt applications)	231-100-4 (7439-92-1)	
4,4'-isopropylidenediphenol (bisphenol A; BPA)	201-245-8 (80-05-7)	
Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-	
Color MFP / Printer e-STUDIO330AC e-STUDIO400AC	Triphenyl phosphate (TPP)	204-112-2 (115-86-6)
	Diboron trioxide	215-125-8 (1303-86-2)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	Lead titanium trioxide	235-038-9 (12060-00-3)
	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	204-327-1 (119-47-1)
Color MFP / Printer e-STUDIO331AC e-STUDIO401AC	Triphenyl phosphate (TPP)	204-112-2 (115-86-6)
	Diboron trioxide	215-125-8 (1303-86-2)
	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
	Perfluorobutane sulfonic acid (PFBS) and its salts	-
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	201-236-9 (79-94-7)
	Imidazolidine-2-thione; 2-imidazoline-2-thiol	202-506-9 (96-45-7)

Product ¹⁾	Substances of Very High Concern (SVHC)	
	Substance name ²⁾	EC Number (CAS Number)
¹⁾ with accessories, such as AC cable, etc. Calculation is based on the weight % of individual part included in product.		
²⁾ The mentioned SVHC may be contained in some parts of the listed articles in a concentration above 0.1% weight by weight.		
Color MFP / Printer e-STUDIO6526AC e-STUDIO6527AC e-STUDIO7527AC Black & White MFP / Printer e-STUDIO6529A e-STUDIO7529A e-STUDIO9029A	Boric acid	233-139-2 (10043-35-3)
	Triphenyl phosphate (TPP)	204-112-2 (115-86-6)
	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	204-327-1 (119-47-1)
	Lead titanium trioxide	235-038-9 (12060-00-3)
	Lead Titanium Zirconium Oxide	235-727-4 (12626-81-2)
	Diboron trioxide	215-125-8 (1303-86-2)
	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
	Perfluorobutane sulfonic acid (PFBS) and its salts	-
	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	400-600-6 (71868-10-5)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-
	1-methyl-2-pyrrolidone	212-828-1 (872-50-4)
Imidazolidine-2-thione; 2-imidazoline-2-thiol	202-506-9 (96-45-7)	
Color MFP / Printer e-STUDIO2021AC e-STUDIO2521AC	Melamine	203-615-4 (108-78-1)
	Triphenyl phosphate (TPP)	204-112-2 (115-86-6)
	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	204-327-1 (119-47-1)
	Lead titanium trioxide	235-038-9 (12060-00-3)
	Diboron trioxide	215-125-8 (1303-86-2)
	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	400-600-6 (71868-10-5)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	4,4'-isopropylidenediphenol (bisphenol A; BPA)	201-245-8 (80-05-7)
	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-
Black & White MFP / Printer e-STUDIO3508LP e-STUDIO4508LP e-STUDIO5008LP	2,2'-Methylenebis(4-methyl-6-tert-butylphenol)	204-327-1(119-47-1)
	Lead titanium trioxide	235-038-9 (12060-00-3)
	Diboron trioxide	215-125-8 (1303-86-2)
	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	Melamine	203-615-4 (108-78-1)
	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	400-600-6 (71868-10-5)
Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-	

Product ¹⁾	Substances of Very High Concern (SVHC)	
	Substance name ²⁾	EC Number (CAS Number)
¹⁾ with accessories, such as AC cable, etc. Calculation is based on the weight % of individual part included in product.		
²⁾ The mentioned SVHC may be contained in some parts of the listed articles in a concentration above 0.1% weight by weight.		
Black & White MFP / Printer e-STUDIO2323AM / 2823AM e-STUDIO2329A / 2829A e-STUDIO2822AM / 2822AF	Melamine	203-615-4 (108-78-1)
	Triphenyl phosphate (TPP)	204-112-2 (115-86-6)
	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	204-327-1 (119-47-1)
	Lead titanium trioxide	235-038-9 (12060-00-3)
	Diboron trioxide	215-125-8 (1303-86-2)
	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
	Perfluorobutane sulfonic acid (PFBS) and its salts	-
	Bumetrizole (UV-326)	223-445-4 (3896-11-5)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	Tetrabromo-bisphenol A	201-236-9 (79-94-7)
Black & White MFP / Printer e-STUDIO409S e-STUDIO409P e-STUDIO528P	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	204-327-1 (119-47-1)
	Diboron trioxide	215-125-8 (1303-86-2)
	Melamine	203-615-4 (108-78-1)
	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	1, 2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	203-794-9 (110-71-4)
Color MFP / Printer e-STUDIO339CS e-STUDIO409CS e-STUDIO409CP e-STUDIO509CS Black & White MFP / Printer e-STUDIO409AS	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	204-327-1 (119-47-1)
	Diboron trioxide	215-125-8 (1303-86-2)
	Melamine	203-615-4 (108-78-1)
	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	1, 2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	203-794-9 (110-71-4)
Black & White MFP / Printer e-STUDIO449S e-STUDIO479S e-STUDIO479P	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	204-327-1 (119-47-1)
	Diboron trioxide	215-125-8 (1303-86-2)
	Melamine	203-615-4 (108-78-1)
	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
	Lead	231-100-4 (7439-92-1)

Product ¹⁾	Substances of Very High Concern (SVHC)	
	Substance name ²⁾	EC Number (CAS Number)
¹⁾ with accessories, such as AC cable, etc. Calculation is based on the weight % of individual part included in product.		
²⁾ The mentioned SVHC may be contained in some parts of the listed articles in a concentration above 0.1% weight by weight.		
Barcode Systems ³⁾		
B-850 Series B-FP2D Series B-FP3D Series B-EP4D Series B-EX4D Series B-EX4T Series B-EX6T Series B-SX8T Series BA400 Series BV400 Series BX400 Series BX600 Series	1,2-dimethoxyethane; ethylene glycol dimethyl ether	203-794-9 (110-71-4)
	Cyclohexane-1,2-dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA)	201-604-9 (85-42-7) 236-086-3 (13149-00-3), 238-009-9 (14166-21-3)
	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	247-094-1 (25550-51-0) 243-072-0 (19438-60-9) 256-356-4 (48122-14-1) 260-566-1 (57110-29-9)
	N,N-dimethylformamide; dimethyl formamide	200-679-5 (68-12-2)
	Lead oxide (lead monoxide)	215-267-0 (1317-36-8)
	Lead titanium trioxide	235-038-9 (12060-00-3)
	Lead Titanium Zirconium Oxide	235-727-4 (12626-81-2)
	Imidazolidine-2-thione; 2-imidazoline-2-thiol	202-506-9 (96-45-7)
	4,4'-isopropylidenediphenol (bisphenol A; BPA)	201-245-8 (80-05-7)
	Lead	231-100-4 (7439-92-1)
	6,6'-di-tert-butyl-2,2'-methylene-di-p-cresol	204-327-1 (119-47-1)
	2-methylimidazole	211-765-7 (693-98-1)
	Melamine	203-615-4 (108-78-1)
	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	201-236-9 (79-94-7)
	4-tert-butylphenol	202-679-0 (98-54-4)
	Bis(α,α-dimethylbenzyl) peroxide	201-279-3 (80-43-3)
	Anthracene	204-371-1 (120-12-7)
	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	404-360-3 (119313-12-1)
BC400P Series	Lead	231-100-4 (7439-92-1)
	4,4'-isopropylidenediphenol (bisphenol A; BPA)	201-245-8 (80-05-7)
	Lead Titanium Zirconium Oxide	235-727-4 (12626-81-2)
	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	203-794-9 (110-71-4)
	6,6'-di-tert-butyl-2,2'-methylene-di-p-cresol	204-327-1 (119-47-1)
	Imidazolidine-2-thione; 2-imidazoline-2-thiol	202-506-9 (96-45-7)
	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	-
Options for Multifunction Printers		
Mechanical Options ³⁾		
PLATEN COVER KA-2507PC /5005PC	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
LARGE CAPACITY FEEDER MP-2502L-B / A-B MP-2002A	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
PAPER FEED PEDESTAL KD-1039-B / 1058-B / 1072 MY-1047-B	4,4'-isopropylidenediphenol Bisphenol A; BPA	201-245-8 (80-05-7)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
PAPER FEED PEDESTAL MY-1043-B / 1050	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)

Product ¹⁾	Substances of Very High Concern (SVHC)	
	Substance name ²⁾	EC Number (CAS Number)
¹⁾ with accessories, such as AC cable, etc. Calculation is based on the weight % of individual part included in product.		
²⁾ The mentioned SVHC may be contained in some parts of the listed articles in a concentration above 0.1% weight by weight.		
AUTOMATIC DUPLEX UNIT MD-0107	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
FINISHER MJ-1113 / 1114 / 1115 / 1116	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	2-ethoxyethanol	203-804-1 (110-80-5)
	Imidazolidine-2-thione; 2-imidazoline-2-thiol	202-506-9 (96-45-7)
	4,4'-isopropylidenediphenol Bisphenol A; BPA	201-245-8 (80-05-7)
	Triphenyl phosphate (TPP)	204-112-2 (115-86-6)
FINISHER MJ-1048-B / 1048	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
TRAY MJ-5015	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
HOLE PUNCH UNIT MJ-6107E / 6107F / 6107S MJ-6108E / 6108F / 6108S	2-ethoxyethanol	203-804-1 (110-80-5)
	4,4'-isopropylidenediphenol Bisphenol A; BPA	201-245-8 (80-05-7)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	Triphenyl phosphate (TPP)	204-112-2 (115-86-6)
RADF MR-3033	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	Lead titanium trioxide	235-038-9 (12060-00-3)
	Imidazolidine-2-thione; 2-imidazoline-2-thiol	202-506-9 (96-45-7)
DSDF MR-4010 MR-4020	Lead titanium trioxide	235-038-9 (12060-00-3)
	Lead titanium zirconium oxide	235-727-4 (12626-81-2)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	400-600-6 (71868-10-5)
	Melamine	203-615-4 (108-78-1)
	Triphenyl phosphate (TPP)	204-112-2 (115-86-6)
Bridge Kit KN-5005	Imidazolidine-2-thione (2-imidazoline-2-thiol)	202-506-9 (96-45-7)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	Triphenyl phosphate (TPP)	204-112-2 (115-86-6)
TLCF KD-1073A4 / LT	Imidazolidine-2-thione (2-imidazoline-2-thiol)	202-506-9 (96-45-7)
	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	Melamine	203-615-4 (108-78-1)
	Triphenyl phosphate (TPP)	204-112-2 (115-86-6)
DRAWER MODULE MY-1044 / 1052 / 1053	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
Stapler MJ-1045	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
Job Separator MJ-5014 / 5015 / 5016 / 5017 / 5018 / 5019 MJ-7004 / 7005	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
Keyboard GR-1260 / 1340	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
Card Reader GB-2290LXK	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)

Product ¹⁾	Substances of Very High Concern (SVHC)	
	Substance name ²⁾	EC Number (CAS Number)
¹⁾ with accessories, such as AC cable, etc. Calculation is based on the weight % of individual part included in product.		
²⁾ The mentioned SVHC may be contained in some parts of the listed articles in a concentration above 0.1% weight by weight.		
Harness Kit for Coin Controller GQ-1131	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	4,4'-isopropylidenediphenol Bisphenol A; BPA	201-245-8 (80-05-7)
<u>System Options ³⁾</u>		
FAX BOARD GD-1370EU / 1380	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	N,N-dimethylacetamide (DMAC)	204-826-4 (127-19-5)
	Diboron trioxide	215-125-8 (1303-86-2)
	Lead monoxide (lead oxide)	215-267-0 (1317-36-8)
BLUETOOTH ANTENNA GN-4020 / 1180 / 1160 / 4030	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
Post Script Kit GA-1350L / 1350H	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	Lead titanium trioxide	235-038-9 (12060-00-3)
Memory Option GC-1410 / 1430 / 1440 / 1450	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
FIPS+HDD GE-1230 / 1240 / 1250	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
USB HUB GR-1310	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
	Lead titanium trioxide	235-038-9 (12060-00-3)
<u>Options for Barcode Systems</u>		
<u>Mechanical Options ³⁾</u>		
BATTERY B-EP802-BT-QM-R B-EP804-BT-QM-R B-FP803-BT-QM-R B-FP803-BTH-QM-R	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
CUTTER MODULE B-7208-QM-R B-EV204-F-QM-R B-EV204-P-QM-R B-EX204-QM-R B-EX204-R-QM-R B-EX206-QM-R B-FV204D-F-QM-R B-FV204D-P-QM-R B-FV204T-F-QM-R B-SA204P-QM-R B-SA204-QM-R B-SX208-QM-R BA204-QM-S	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
CUTTER MODULE BC204-F-QM-S	Lead (RoHS Exemptions)	231-100-4 (7439-92-1)
	4,4'-isopropylidenediphenol	201-245-8 (80-05-7)
	Octamethylcyclotetrasiloxane (D4)	209-136-7 (556-67-2)
MEDIA STAND B-EV904-PH-QM-R B-FV904-PH-QM-R	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)

Product ¹⁾	Substances of Very High Concern (SVHC)	
	Substance name ²⁾	EC Number (CAS Number)
¹⁾ with accessories, such as AC cable, etc. Calculation is based on the weight % of individual part included in product.		
²⁾ The mentioned SVHC may be contained in some parts of the listed articles in a concentration above 0.1% weight by weight.		
PEEL OFF MODULE B-EV904-H-QM-R B-EX904-HH-QM-R B-EX904-H-QM-R B-EX906-H-QM-R B-FV904D-H-QM-R B-FV904T-H-QM-R B-SA904-H-QM-R B-SA904P-H-QM-R B-SX908-H-QM-R BA904-H-QM-S	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
POWER ADAPTOR B-EP800-AC-QM-R B-EP800-DC48-QM-R B-EP802-DC12-QM-R B-EV904-AC-QM-R	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
POWER CORD B-FP800-DCJA-QM-R B-EX804-PW-EU-R	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
RADIO MODULE B-EX700-RFID-U4-EU-R B-EX706-RFID-U4-EU-R BA704-RFID-U4-EU-S	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
RIBBON SAVE MODULE B-EX904-R-QM-R B-SX908-R-QM-R	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
DAMPER B-EX904-DP-QM-R	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
<u>System Options ³⁾</u>		
INTERFACE BOARD B-EX700-CEN-QM-R B-EX700-IO-QM-R B-EX700-RS-QM-R B-SA704-IO-QM-R B-SA704-RS-QM-R B-SA704-RTC-QM-R BA700-RS-QM-S	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)
RADIO CARD B-EP700-WLAN-QM-R B-EX700-WLAN2-QM-R B-EX700-WLAN-QM-R B-FV700-WLAN-QM-R B-FV704D-BLTH-QM-R B-FV704T-BLTH-QM-R BA700-WLAN-QM-S	Lead (RoHS exempt applications)	231-100-4 (7439-92-1)

Product ¹⁾	Substances of Very High Concern (SVHC)	
	Substance name ²⁾	EC Number (CAS Number)
¹⁾ with accessories, such as AC cable, etc. Calculation is based on the weight % of individual part included in product.		
²⁾ The mentioned SVHC may be contained in some parts of the listed articles in a concentration above 0.1% weight by weight.		
Consumables		
RIBBONS FOR THERMAL TRANSFER PRINTERS WITH ITEM CODE: XXX 99 999 X* X** 9 X XXX (*) 9th digit is A, R, F, S, W or Y (**) 10th digit is W, G, S, P or R All other digits are any alphanumerical characters	--	--
THERMAL PAPER LABELS; LABEL LABEL DIRECT THERM.ECO WITH ITEM CODE: BLC XXXXXXXXX DE Y X is numerical value Y is 0, P, F or C	4,4'-sulphonyldiphenol (BPS)	201-250-5 (80-09-1)
THERMAL PAPER LABELS; LABEL LABEL TRANSFER PREMIUM LABEL TRANSFER STANDARD LABEL DIRECT THERM.TOP LABEL INK-JET MATT LABEL INK-JET GLOSSY LABEL INK-JET MATT SYNTHETIC WITH ITEM CODE: BLC XXXXXXXXX DE Y X is numerical value Y is 0, P, F or C		--

Disclaimer

All information in this document is provided to the best of Toshiba TEC's knowledge at the time of completion. This declaration is provided for informational purposes only. Toshiba TEC provides this information without warranties of any kind neither expressed nor implied including but not limited to warranties for a particular purpose. Toshiba Tec does not warrant that the content will be error free.